Renderer

Step 1: Selecting the renderer

🔲 🖬 🖬 🖬 🖬 🛅 1 • 🔳


When you start 3ds Max, the initial screen looks something like this:

Let's create a simple cube and then render it to laser using Lasershow Converter MAX.

- 1. Select the **Box** button on the **Standard Primitives** section of the **Create** tab.
- 2. Draw a box in the **Perspective** view.
- 3. For added interest, rotate this box using the 3ds Max Rotate tool.

The result should look like this:





Select Lasershow Converter MAX as the renderer

To view this in laser light, the first thing you need to do is to select Lasershow Converter MAX as the renderer.

Selecting Lasershow Converter MAX as a renderer only needs to be done once for each scene that is created with 3ds Max. If you save a scene in 3ds Max, it remembers the renderer and all other settings.

The renderer is selected directly inside the **Render Scene** dialog. At the top of the window, you will see a drop-down list with the **Renderer**, that lets you select different renderers. To select the renderer, simply select Lasershow Converter MAX Renderer as shown below.

🤰 Render Setur	: Lasershow Converter MAX Render	er	- 🗆	×
Target:	Production Rendering Mode	1	Render	
Preset:	No preset selected	1	Kenuer	
Renderer:	Lasershow Converter MAX Renderer	1	Save File	
View to Render:	Quicksilver Hardware Renderer ART Renderer	l		ô
Common Render	Scanline Renderer VUE File Renderer			
* Lasershow C	Lasershow Converter MAX Renderer Arnold	l		
Default line typ	es			n II
✓ Creases ✓ Surface	tte + Folds		Material Change MAX-defined All polygon lines Contours 10	

Additional step needed to get materials to show up properly

Note that the "Render Scene" dialog box has tabs on it. You can assign the renderer at the bottom of the "Common" tab. We also recommend you "unlock" the selection between the Production and Material render, and specify the "Scanline Renderer" as the Material Renderer.

 Render Setu 	up: Lasershow Converter MAX Renderer —		
Target:	Production Rendering Mode	Render	
Preset:			
Renderer:	Lasershow Converter MAX Renderer 🔻 🗌 Save F	File	
View to Render:	Quad 4 - Perspective	• 6	
Common Rende	erer Raytracer Advanced Lighting		
	Compute Advanced Lighting when Required		
Bitm	nap Performance and Memory Options		
Bitm	nap Proxies / Paging Disabled Setup		
Ren	nder Output		
	Save File Files		
F	Put Image File List(s) in Output Path(s) Create No	w	
	Autodesk ME Image Sequence File (.imsq)		
	Legacy 3ds Max Image File List (.ifl)		
	Jse Device Devices.	•	
∞ F	Rendered Frame Window		
5	Skip Existing Images		
Email Notific	cations		
Scripts			
 Assign Rend 	derer		
Pro	duction: Lasershow Converter MAX Render		
Mat	terial Editor: Scanline Renderer	°	 "Unlock" the selection between the Production and Mater
Acti	iveShade: Scanline Renderer		so that the Scanline Renderer can be used for the Materi
	Save as Defaults		

Note: Lasershow Converter MAX can not be used as the ActiveShade renderer.

Step 2: Rendering a frame

Now that Lasershow Converter MAX has been selected as the draft renderer, you can begin rendering this scene. To do this, select the Rendering tab on the main screen in 3ds Max and then click the **Render Scene** button on the toolbar. The Render Scene dialog (pictured below) appears.

In addition, we recommend that in the Output Size section, you enter 320 for width and 320 for height. These numbers control two things:

- They control the size of the frame window that 3ds Max displays while rendering the scene. A 320by-320 frame window is large enough so that you can see what is going on, but small enough to stay out of the way. (The Virtual Frame Buffer checkbox, in the Render Output section, must be checked in order for you to see this frame window. If you are previewing on a laser projector, you should uncheck the Virtual Frame Buffer; this speeds up the rendering process.)
- 2. By making the height the same as the width, you will be rendering scenes that take full advantage of the laser projector's 1:1 aspect ratio. (If you are producing laser animations that will eventually be projected along with video, you should use 320-by-240 or some other combination with a 4:3 aspect ratio.)

3 Render	Setup: Lasersł	how Conve	erter MAX Rend	erer —		Х
Target:		on Renderir	ng Mode		Render	
Preset:						
Renderer:	Lasersho	ow Convert	er MAX Renderer	▼ Save F	ile	
View to Rend	ler: Quad 4 ·	- Perspectiv	'e			ô
Common R	enderer Rayt	racer Adv	vanced Lighting			
* Commo	Range:	s e Segment: 0 File Number 1,3,5-12	‡ To 600	rame: 1	•	
	Area to Rende View Output Size Custom	er 🔹	Auto F	Region Selected h(mm): 36.0	÷	
	Width: Height:	320 ÷ 320 ÷		800x600		
	Image Aspect:	1.0 +	Pixel Aspendicular	ct: 1.0 \$	8	

Note: Lasershow Converter MAX does filtering calculations, corner detection calculations and curve detection calculations based on the **Output Size** settings. The default values for the filter, curve and corner settings are based on a frame window output size of 320-by-320 or 320-by-240. If you choose a different output size (such as 640-by-480), this may require you to change Lasershow Converter MAX's filter, corner and curve settings.

As an additional benefit, when the frame window output size is set to 320-by-320 or 320-by-240, each pixel works out to be around one laser beam diameter. For additional information on this benefit, see the Object filter settings topic.

Rendering

Now that a few default settings have been set, normal operation can begin. Here is the Lasershow Converter MAX control screen. You will see a number of options that will be discussed in more detail later. For most scenes, these default options will be fine.

🤰 Render Setu	p: Lasershow C	onverter MAX R	endere	r —		×
Target:	Production Ren	ndering Mode			Render	
Preset:					Render	
Renderer:	Lasershow Con	werter MAX Rend	lerer 🔻	Save Fi	le	
View to Render:	Quad 4 - Persp	ective				• 8
Common Render	er Raytracer	Advanced Lighti	ng			
* Lasershow C	onverter MAX	Renderer				
Default line typ	es					
Silhoue				Material C	hange	
✓ Silhoue	tte + Folds s			MAX-defir		
🖌 Surface	Intersections w	ith other objects		All polygo	n lines	
Surface	Intersections w	ithin the same ob	ject	Contours	10	÷
Default line cold	or					
	t's Ambient color	🔍 🔍 Texti	ure color			
	t's Diffuse color t's Specular color	🔍 Texti	ures and	Light shadin	g	
	n color:	_	ures, Lig	ht shading a	nd Shado	ows
Default filter se	ttings					
Gap filter 0.	.1 ‡ Ov	erlap filter 0.5	ŧ	Noise filter	3.0	¢
Laser output						
	LCMax Frame	Starti		e number		
Prevent in	tersection flicker	ina	Minim	um Points	200	¢
	r Frame Info	Zones	Main (Prophice		
Show Lase				Graphics		
Real Time I		recommended for			enes)	
		Max Beam Brush	width in	panels %	7	

Click Render to see the results

To see the rendered results, simply click the **Render** button to see the resulting cube outline. The result can be seen below:

NGUScript Hi/ Rendering Time 0:00:00			📆 Add Time Tag 🚥	21 I N The setting 77, Key fibers.
Step 3: Re	ndering an a	nimation		
In the last topic,	we rendered a single f	frame of the cube. Let's	s create an animatior	of the cube rota
•	-	alog and the frame win		
1. Select the	Main Toolbar tab in 3	3ds Max and click on th	e Rotate tool.	
2. Move the T	ime Slider all the wa	y to the right, to frame	2 100.	
3. Click on the	e Animate button. It w	will turn red to indicate	that you are in anima	ation mode.
	Rotate tool, rotate the	and the second sec		

Complete Help Docs - http://wiki.pangolin.com/



- -

+ 0

--- 🗖 3 % #

a s a e x


ንሮ *0 0 🛃* 🖩



l e

96


....



Generate animation frames

To create a laser animation of the rotating cube, click on the **Rendering** tab in 3ds Max, and then click on the **Render Scene** button. The familiar Render Scene dialog box is presented.


The last time, only one frame of the cube was rendered. This is because **Single** was selected in the **Time Output** section of the Render Scene dialog box. In this case, we want to create the full 100-frame animation, so select **Active Time Segment: 0 to 100**. Once this has been done, press the **Render** button. You will see each frame in the 100-frame animation as it is rendered.



Annoying "warning" message

When you click **Render** there is an annoying dialog box with an incorrect "warning" message. If you don't have a file name selected with the **Save File** check box checked, AND if you are rendering more than one frame, you get a box saying "Frames may be lost". This message is wrong – no frames will be lost.

Simply click "Yes" to render the scene anyway.




Step 4: Viewing an animation, and sending it to BEYOND

To see the complete animation in laser light, close the **Render Scene** dialog and the frame window, then click on the **Utilities** tab.

(If you have already installed the Lasershow Converter MAX utility plugin, then you will see a Lasershow

Converter MAX button on the Utilities tab. Otherwise you should go here to learn how to fully install the plug-in.)

Once you have clicked on the Utilities tab, then click on the **Lasershow Converter MAX** button. This displays the Lasershow Converter MAX utility control screen, which allows you to view and save the animation, and also to control advanced aspects of Lasershow Converter MAX. (This screen is shown in the lower right hand corner below.)



Just below the preview window in the utility plugin, you will see a check box called **Show Laser Output**. When this is checked, laser output will be shown on the laser projector in real time.

Now simply click the **Play** button in 3ds Max. You will see the scene played in the 3ds Max viewports and also in the Lasershow Converter MAX preview window.

Send the animation to BEYOND

Once the frames have been rendered as discussed above, click the button Send to BEYOND, which will send the rendered animation to the cue that is selected in BEYOND.

Step 5: Summary

Here is a summary of how to create laser frames and animations with Lasershow Converter MAX:

Complete Help Docs - http://wiki.pangolin.com/

Selecting the renderer

- 1. Select **File/Open** and select the file name to load into 3ds Max.
- 2. Select **Customize/Preferences**, then select the **Rendering** tab.
- 3. Assign Lasershow Converter MAX as the draft renderer.

Rendering a frame/animation

4. Select the **Rendering** tab on the main 3ds Max screen, and then click **Render Scene**.

5. Set some default settings such as the frame window **Output Size** and the length of animation you want rendered.

6. Click the **Render** button to create the animation.

Viewing and saving the animation

7. Click on the **Utilities** tab, then click the **Lasershow Converter MAX button**. (If you do not see Lasershow Converter MAX in the list of utilities, then you must install it by following these instructions.)

8. Press **Play** to view the resulting animation in laser light, and **Send to BEYOND** to save the animation.

Go Back

From: http://wiki.pangolin.com/ - **Complete Help Docs**

Permanent link: http://wiki.pangolin.com/doku.php?id=tools:lcmax:renderer&rev=1619969195

Last update: 2021/05/02 17:26

