Tips: Creating dust-like animations using particle systems

Lasershow Converter MAX can be used to create stunning particle displays, such as floating dust and similar animations.

Successfully rendering dust-like particles with Lasershow Converter MAX can involve a lot of trial-anderror. However, it can be accomplished by roughly following these steps:

1. Use the **Spray** object in 3ds Max, and make sure the "particle size" setting is at least 0.1. (A particle size of 0.01 is simply too small...)

2. Select the **Spray** object, and then go to the Utility plugin within Lasershow Converter MAX. This is shown below.

3. In the Utility plugin, set the **Noise filter** settings between 1.5 and 2 – with 1.8 being a pretty good starting point, but this depends on your laser scanners. - 1.5 creates more particles but also more points - 2.0 reduces the amount of visible particles and the amount of points

Utilize Animation Store Animation Store Resch Procodentic Paths Camera Trabare Camera Trabare Chamager Pollowites Resch Procodentic Paths Camera Trabare Chamager Pollowites Processor Chamager Pollowites Processor Chamager Processor Processor Camera Machine Commanger Processor Processor Concessor Description OK Concel	SuperSpray001 More Sets Asset Browser Perspective Match Collapse Color Clipboard Measure Motion Capture Reset XForm MAXScript Flight Studio (c) - Laser Preview Pangolin Laser Systems Laser preview and output will be available once this scene has been rendered with Lasershow Converter MAX Object 1: SuperSpray001 + Object filter settings Filter settings for SuperSpray Gap filter Gap distance: Index of the settings Filter settings for SuperSpray Coverlap ngle: 20,0 Noisso filtor Minimum length: Iter across objects
30 140 150 160 170 180 190 200 X: Y: Z: Grid = 10,0 Add Time Tag Add Time Tag Key Filters 44	4⊪⊳,⊪⊳⊯≪ ≪ ≅ (≣) #,

4. Adjust the **Object point spacing** settings in the utility plugin. Since you don't need any corners and lines, these can be reduced, as well as line endings and round overlaps. See the picture below for optimal

operation.

- Object point spacing		
Laser settings for SuperSpray0		
- Autobiank Points	2 🗘	
at line endings at round overla		
acrodita overta	µ3 ∠ ▼	
AutoAnchor Points		
Accelerate/Decelerate 🔽		
at line beginning	gs 2 🗘	
at line endings	2 🗘	
at round overla	ps 0 🗘	
at corners		
0° - 45°	2 🗘	
45° - 90°	2 🗘	
90° - 135° 135° - 155°	3 ‡ 2 ‡	
155° - 165°	0 \$	
165° - 175°	3 \$ 2 \$ 0 \$ 0 \$	
corner	50 🗘	
AutoSpace Distance		
blanked	800 \$	
straight		
curved lines	35 \$	
curve	300 ¢ 35 ¢ 50 ¢	
Beam path for this object:		
Keep path consistent 👻		
Assign to selected objects		

5. Note that whenever you change settings in the Utility plugin, you must press **Assign to selected objects** or the settings will not get changed.

6. Reducing the amount of the particles can help (then they can reduce the noise filter settings further).

Go Back

From: http://wiki.pangolin.com/ - **Complete Help Docs**

Permanent link: http://wiki.pangolin.com/doku.php?id=tools:lcmax:tips_dust_and_particle_animations

Last update: 2021/05/03 13:32

